


# MVSY-156 系列

電磁閥



規格：


| 型號     | 4E1                                   | 4E2                | 4E2C.P.R                         |
|--------|---------------------------------------|--------------------|----------------------------------|
| 配管口徑代號 | 6A                                    |                    |                                  |
| 配管口徑尺寸 | Rc1/8                                 |                    |                                  |
| 方口數    | 5口                                    |                    |                                  |
| 位置數    | 2位置                                   |                    | 3位置                              |
| 使用流體   | 空氣                                    |                    |                                  |
| 使用壓力範圍 | 0.15~0.7 MPa                          |                    | 0.2~0.7 MPa                      |
| 耐壓力    | 1 MPa                                 |                    |                                  |
| 有效斷面積  | 直配管型                                  | 11 mm <sup>2</sup> | 9.5 / 14.6 / 9.5 mm <sup>2</sup> |
|        | 連座型                                   | 10 mm <sup>2</sup> | 7.5 / 13 / 8 mm <sup>2</sup>     |
| 應答時間   | 19 ms                                 |                    | 20 ms                            |
| 周圍溫度   | +5~+50℃                               |                    |                                  |
| 最大工作頻率 | 5 Hz                                  |                    |                                  |
| 定格電壓   | AC110V, AC220V(50/60)Hz, DC6/12/24V   |                    |                                  |
| 電力消耗   | AC=1.6/2.5VA, DC6=1.2W, DC12/24=0.55W |                    |                                  |
| 電壓容許範圍 | ±10%                                  |                    |                                  |
| 絕緣等級   | B 級                                   |                    |                                  |
| 重量     | 68g                                   | 87g                | 96g                              |

注意事項：

- 電磁閥不可連續通電超過2小時以上。
- 以一天為單位，電磁閥總通電時間不可超過未通電時間。


閥 / 訂購代號：

MVSY - 156M - 4E2C - AC110 - LJ1 - □




連座 / 訂購代號：

MVSY - 156M - 5M3 - G



導線 / 訂購代號：※ 與 MVDY 共用導線

MVDY - 100 - WA2J2




# MVSY-156 外觀尺寸

電磁閥




## MVSY-156-4E1

( ) : LJ 出線型式尺寸



## MVSY-156-4E2

( ) : LJ 出線型式尺寸




## MVSY-156-4E2C.PR

MVSY-156-4E2C

MVSY-156-4E2P


MVSY-156-4E2R




( ) : LJ 出線型式尺寸

流量特性圖：

## MVSY-156-4E1/4E2



## MVSY-156M-4E1/4E2





# MVSY-156 外觀尺寸

電磁閥





## MVSY-156C\*-4E1

( ) : LJ 出線型式尺寸



## MVSY-156C\*-4E2

( ) : LJ 出線型式尺寸







## MVSY-156C\*-4E2C.PR

### MVSY-156-4E2C

### MVSY-156-4E2P

### MVSY-156-4E2R



| 代號<br>配管徑 | L    |
|-----------|------|
| C4        | 13   |
| C6        | 14   |
| C8        | 18.5 |

( ) : LJ 出線型式尺寸


# MVSY-156 連座

電磁閥



## MVSY-156-5B\*

5方口直配管型用




| 連座數 | P   | L   |
|-----|-----|-----|
| 2   | 40  | 60  |
| 3   | 56  | 76  |
| 4   | 72  | 92  |
| 5   | 88  | 108 |
| 6   | 104 | 124 |
| 7   | 120 | 140 |
| 8   | 136 | 156 |
| 9   | 152 | 172 |
| 10  | 168 | 188 |

( ) : LJ 出線型式尺寸

## MVSY-156M-5M\*

5方口連座型用



| 連座數(N) | P     | L     |
|--------|-------|-------|
| 2      | 49.5  | 59.5  |
| 3      | 67    | 77    |
| 4      | 84.5  | 94.5  |
| 5      | 102   | 112   |
| 6      | 119.5 | 129.5 |
| 7      | 137   | 147   |
| 8      | 154.5 | 164.5 |
| 9      | 172   | 182   |
| 10     | 189.5 | 199.5 |

( ) : LJ 出線型式尺寸

# MVSY-156 安裝配件/分歧塊

電磁閥



mindman

支架 / 訂購代號：

**MVSY-156-1A**

型號

安裝配件

1A：支架  
2A：腳架

分歧塊 / 訂購代號：

**MVSY-156M-5BP**

型號

無：直配管型  
M：連座型

適用電磁閥型式



5B：5方口直配管型  
5M：5方口連座型

分歧塊

P：獨立進氣  
R：獨立排氣  
PR：獨立進氣+獨立排氣



**MVSY-156-1A**

支架



**MVSY-156-2A**

腳架




# MVSY-156 分歧塊

電磁閥




**MVSY-156-5BP**

直配管型用獨立進氣




**MVSY-156-5BR**

直配管型用獨立排氣




**MVSY-156-5BPR**

直配管型用獨立進氣  
+ 獨立排氣




**MVSY-156M-5MP**

連座型用獨立進氣



**MVSY-156M-5MR**

連座型用獨立排氣



**MVSY-156M-5MPR**

連座型用獨立進氣  
+ 獨立排氣

